


SIROKA®

SRK-IO USER MANUAL

LED Aquarium Light



SRK-IO planted aquarium extendable LED light is intended for planted aquarium lighting.
Please read this manual carefully before using and follow the instructions carefully

1. PRODUCT FEATURES

Super bright:Premium 2835 LEDs provide bright illumination for your plants and fish and enhance the aesthetic appeal of your tank

Adjustable timer:Lighting time can be programmed to 6H,10H and 12H.

Adjustable timer:Lighting time can be programmed to 6h,10h,12h

Adjustable Brightness:SRK-IO lighting mode can be adjusted to 10-level brightness (10%-20%-30%-40%-50%-60%-70%-80%-90%-100%)

This fish tank light will cycle at the same time the next day.

Easy to maintain:Built - in smooth metal aluminum housing , just use a piece of a dry towel to wipe it clean.

Extendable Bracket:The Extentable brackets makes the light fits for aquariums of different size.

Suitable for plants & freshwater: The full-spectrum bulbs can produce diferent colors depending on your option.

2. PRODUCT PARAMETERS


Model	SRK-IO30CM	SRK-IO45CM	SRK-IO60CM	SRK-IO75CM	SRK-IO90CM	SRK-IO120CM
Inout	AC100-240V	AC100-240V	AC100-240V	AC100-240V	AC100-240V	AC100-240V
Output	DC20V	DC20V	DC20V	DC20V	DC20V	DC20V
Power	10W	14W	18W	22W	26W	36W
LED Q'ty	60	90	120	150	180	240
Application	12"-18"	18"-24"	24"-30"	30"-36"	36"-42"	48"-54"
Power Cord	5.9+2.3ft	5.9+2.3ft	5.9+2.3ft	5.9+2.3ft	5.9+2.3ft	5.9+2.3ft

3. METHOOD OF APPLICATION


A.Open the box and check whether the light and other accessories are included.If parts are missing,please get in touch with the seller's support email.


B.Expand both sides metal bracket fit to match the length of your aquarium.



C.Connect power supply with light,then plug in.Ensure a drip loop is created before the outlet,as shown on the warning.

Press the  button 2 seconds to turn on the light.Use one long-press of the same button

to turn off the light.(All light on,White/Red/Green/Pink,Blue light)

All mode lights,When you choose all light on mode,all the indicators will be off.You can adjust the brightness by press the  button.



In white/Red/Green/Pink brightness.you can lick the  button to choose this mode and click the on/off button to control the White/Red/Green/Pink brightness.

eg:Click the  button(W light indicator flashing) and click the  button to adjust the brightness (white/red/pink/green led beads)from 10 levels.

(10%-20%-30%-40%-50%-60%-70%-80%-90%-100%-90%-80%-70%-60%-50%-40%-30%-20%-10%)


(white/red/pink/green led beads light off)


Blue light,you can click  the button to choose this mode and click the  button to control the blue brightness.

eg:click the  button(B light indicator flashing) and click the  button to adjust the (blue led beads) brightness from 10 levels.

10%-20%-30%-40%-50%-60%-70%-80%-90%-100%-90%-80%-70%-60%-50%-40%-30%-20%-10%(blue light off)

Please choose the color mode before choosing the timer.Otherwise,it will exit the timer function.

When you want to close the light(All light off).click the  button for 2 seconds.

Press the  button to choose 6/10/12 hours,and the indicator light on the top of the timer button turns on.

For 6 hours,the “6H” indicator light flashes;for 10 hours,the “10H” indicator light flashes;for 12 hours, the “12H” indicator light flashes.

eg:if you choose 6H at 9 AM,this light will auto turn on at 9:00AM and turn off at 3:00PM daily.

Once set up timer lighting mode,the next day,the light slowly ramps up in 15 minutes and down at last 15 minutes.

Once it is set,the light will auto-turn on and off simultaneously every day.

NOTE

1,This timer mode will be worked for 24 hours lighting cycle

2,When the power is cut off,the lamp will restart,calculating the previous timing.Such as,if it is timed for 6 hours,it will start counting again for 6 hours after the power is turned on.

3,Please remove the film before use.

4. ATTENTION:

- ✓ Please read the manual carefully before using and follow all instructions.
- ✓ Please keep the switch away from water, the switch is not waterproof.
- ✓ Please keep the light away from flammable items.
- ✓ Please unplug the power and contact the seller if the light is not working properly.

**** Disassembly the lamp WILL VOID WARRANTY****

- ✓ Please unplug the power before maintenance.
- ✓ Please remember that the temperature range for the light is 23~113°F.

5. PACKAGE INCLUDES:

1 *Led Light


1*AC/DC power adaptor

2* Metal Brackets

1*User manual

⚠6.WARNING: To avoid possible electrical shock, do not immerse the switch in water. If the switch falls into the water, or otherwise becomes wet, do not touch it until you have unplugged it. Basic safety precautions should be observed including the following:

1. Read and follow this user manual strictly.
2. **DANGER**-To avoid possible electric shock, special care should be taken. For each of the following situations, do not attempt to repair yourself; return the light to an authorized service facility for service or discard the light.
 - A. Carefully examine the light after installation. It should not be plugged in if there is water on parts not intended to be wet.
 - B. Do not operate the light if it has a damaged cord or plug, if it is malfunctioning or if it is dropped or damaged in any manner. The power cord of this light cannot be replaced, if the cord is damaged, the light should be discarded.
 - C. To avoid the possibility of the light plug getting wet, position the aquarium stand and tank to one side of a wall-mounted receptacle to prevent water from dripping onto the receptacle or plug. A "drip loop", shown in the figure below, should be arranged by the user for each cord connecting the light to the receptacle. The "drip loop" is the part of the cord below the level of the receptacle or the connector. If an extension cord is used, to prevent water from traveling along the cord and coming in contact with the receptacle. If the plug or receptacle does get wet, DO NOT unplug the cord.
Disconnect the fuse to the circuit breaker that supplies power to the light. Then unplug and examine for the presence of water in the receptacle.
3. Close supervision is necessary when the light is used near children.
4. To avoid injury, do not touch moving or hot parts.
5. Make sure the light is securely installed before operating it.
6. Read and observe all the important notices on the light.
7. If an extension cord is necessary, a cord with a proper rating should be used.
A cord rated for less amperes or watts than the appliance rating may overheat.
Care should be taken to arrange the cord so that it will not be tripped over or pulled.
8. The light is intended FOR HOUSEHOLD USE ONLY.
9. SAVE THIS USER MANUAL



7. WARRANTY:

1. 1-year free warranty. 2. 1-month free return. 3. Free replacement for 3 months.

8. DISPOSAL

Do not dispose this product as unsorted municipal waste. This product must not be disposed together with the domestic waste; it must be disposed of at an authorized place for recycling of electrical and electronic appliances. By collecting and recycling waste, you help save natural resources, and make sure the product is disposed in an environmentally friendly way.

If you have any problems or suggestions for our this LED Aquarium Extendable Light, please contact us by email before leaving feedback or opening a case, as it will be the fastest way to solve your problem. If you are satisfied with our products, please leave positive feedback in order to let more customers enjoy it.

Thank you again!

Thank you for Choosing SIROKA Aquarium Light
Making aquarium keeping easier one product at a time



SIROKA®

Contact information

Website:<http://www.siroka.cn>

Email:siroka@sirokainc.com

Address:No.5,Qundai Road,Pingshan District,Shenzhen,CN



Thank You